

STATE OF UTAH MSE WALL INSPECTION FORM

Compiled As Part of Research By The Utah Department of Transportation


Instructions:

- 1-Fill out required sections for MSE Wall Inspector and Wall Characteristics.
- 2-Inspect the wall using the attached form. Questions that require a 'Yes' answer should be documented by noting the extent of the problem in the right most column and photo documentation. Photo documentation should consist of wall or bridge number, nature of problem, date, photo number for wall, and a size reference, which should be indicated in the photo (white board/paper). Photos taken should be placed on the Top View layout and indicated with the appropriate number. Note should be taken by the inspector that often anomalies are due to construction and should be distinguished from those that are a result of post-construction. If it is observable that they existed at the time of construction note should be taken in the space provided for drawings.
- 3- Shoot digital photos of the entire wall. This may require the use of a variety of shots and angles on each wall to cover the wall in its entirety.
- 4- Indicate Layout of MSE Wall in respect to major intersections, roadways, potential hazards, irrigation, vegetation, locations of conditions for which 'Yes' was marked, etc. in space provided below. Also Indicate approximate GPS Coordinates of Site of Interest in space provided below

Inspector Information

Inspection Date	8/21/07	Names Of Inspectors	Holly Griffin, Ryan maw
Region	2	Identifying Road/Intersection	F-15 and 10000 S

MSE WALL CHARACTERISTICS

MSE Wall at Bridge	(Y) N	Bridge Number if applicable:	F-646	Wall Number	R-342
Surrounding Structures	CIP wall-center spans		Maximum Height of Wall (ft)	15'	
Distance to Each Structure	modular block south of sec. 11		One Stage, Two Stage or Block Wall	Two Stage	
State Route Number	F-15 and 10000 S		Estimated Max Length of Wall Abutment:	650'	
Approximate Mile Marker	293		Max Slope of Ground in front of wall:	3:1	
GPS Datum	WGS/84, NAD/83, or NAD/27		Max Height of wall burial line above surrounding level ground:	15'	
MSE Wall GPS Coordinates (Location of Measurement shown on plan view)	N 40° 34.168 W 111° 54.029		Please draw rough layout of panel with approximate dimensions in space provided below:		
If known, Panel or System Manufacturer	unknown				

11
12
13
14


Summary of Key Observations:

R-342 - SECTION 2 - WALL #'S 11, 12, 13, & 14
walls in good overall condition

not previously inspected

Plan View/Drainage:

modular block →




N →

1000 SOUTH

COMMERCIAL

LIMITED ACCESS ON REMAINING WALLS DUE TO SECURITY FENCE -



Cross Sections:

Cross Sections:

MSE WALL DRAINAGE

Required Tools: Nylon Mallet, Water Bottle, GPS, Camera

Yes		No	N/A	UKN	Drainage	Measurement/Extent of Problem/Location/Photo Numbers												
Y	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1-Is there an active water source near the toe of the wall (is the wall near a body of water with scour potential?)	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2-If applicable, are the catch basins at the base of the wall blocked?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	
Y	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3-Are there culverts protruding through the wall?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	
Y	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4-Are there vertical drains that travel through the backfill?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5-Is there erosion at the base of the wall or leveling pad? (Photo 12)	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6-Is there erosion along the wing walls?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7-Are there any signs of water flow along the base of the wall?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8-Is there less than 14 feet between irrigation sprinklers and wall?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9-Does the backfill or joint fabric appear to be saturated?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10-Is there vegetation growing in panel joints (Photo 8)?	Blocked	Clear	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11-Are the deck drains and outlets at the top of the wall blocked? (Photo 14)	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12-Can water enter the wall between coping and slab (i.e., Drain appropriately)?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13-Is there evidence at discharge point of fill washing through drain pipes?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/	

MSE WALL JOINTS

Required Tools: Long Level, String, Camera, GPS

Yes		No	N/A	UKN	Joints	Measurement/Extent of Problem/Location/Photo Numbers											
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14-Is backfill coming out of joints or are there piles of backfill at the base of the wall? (Pictures 2 & 3)	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15-Are the joints wide enough to see fabric or backfill behind panels when looking into joints? (Photo 5) If yes, record the approximate maximum joint width in inches.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16-Is exposed backfill visible in the horizontal joints? (Photo 4)	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17-Are there visible tears in the fabric? Is there evidence of backfill or water leaking through tear? (Do not induce additional damage to fabric)	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/
Y	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18-Do the joints have a non-uniform horizontal spacing/size? Are some horizontal joints larger/smaller than others? (Photo 6)	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19-Do the joints have a non-uniform vertical spacing/size? Are some vertical joints larger/smaller than others? (Photo 6)	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/
Y	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20-Are the panels offset at the joints either in or out of the wall? (Photo 7) If yes, record the approximate maximum offset.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/
Y	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21-Does the fabric appear brittle, or appear as if it has undergone excessive UV exposure?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/

MSE WALL FACING

Required Tools:		Long Level-String	GFS-Camera-Crack Gauge	Walling	Measurement/Extent of Problem/Location/Photo Numbers										
Yes	No	N/A	UKN		0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	
Y	N	N/A	UKN	22-Are the panels "Tilt-Up"? Is there excessive cracking in the panels?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	23-Are there cracks that continue vertically through adjacent panels (Photos 9 & 10)? If yes, record the approximate number of panels in the wall with cracking.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	24-Are there cracks that continue horizontally through adjacent panels (Photos 9 & 10)? If yes, record the approximate number of panels in the wall with cracking.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	25-Are the panel corners making contact with each other? If yes, record the approximate number in the wall.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	26-Are the panel corners "popped-off" or chipped from contact with an adjacent panel? If yes record the number in the wall.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	27-Does crack spacing suggest Differential Settlement?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	28-Does the overlying coping exhibit Vertical Offset?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	29-Are the coping and parapets loose or detaching? If yes, it may be appropriate to contact UDOT if detachment seems eminent.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	30-Are the panels in danger of falling off? (If potential exists contact appropriate UDOT region).	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	31-Are the panels "bulging" (bowing horizontally)? If so, record maximum deformation from accessible coping to leveling pad. (Photo 11)	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	32-Is there "tipping" at the top or bottom of the wall? (Record maximum degree of tipping from azimuth using vertical level and affected area).	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

MSE TOP OF WALL OBSERVATIONS

Required Tools:		Long Level-Crack Gauge-GFS-Camera	Top Of Wall	Measurement/Extent of Problem/Location/Photo Numbers											
Yes	No	N/A	UKN	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%		
Y	N	N/A	UKN	33-Is there evidence of settlement at the top of the wall? (pavement cracking, etc)	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	34-Are there any open cracks in the concrete coping (not hairline)? If yes record the approximate maximum crack width.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	35-Have the construction joints in the concreting coping opened up? (Photo 6). If yes, record the maximum joint width.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	36-Is there a large gap between the approach slab and the approach pavement? (Photo 15) Often this produces a bumping sensation as the overpass is crossed. Record the approximate maximum gap size.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	37-Are the abutments, has the joint between the wall coping and the abutment opened up significantly? If so record maximum distance.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	38-Is the coping/wall pulling away from pavement/roadway section? Please record maximum displacement for wall.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

photo

MSE STABILITY

Required Tools:		Shovel-Geo-Probe	Structural Integrity	Measurement/Extent of Problem/Location/Photo Numbers											
Yes	No	N/A	UKN	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%		
Y	N	N/A	UKN	39-What is the location depth of Leveling pad? Pound Geo-Probe into soil located 2 inches from wall to a maximum depth of 24 inches (24 inches is the minimum depth for MSE Wall)	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	40-Is leveling pad exposed?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	41-Is there cracking in the leveling pad? If so, record maximum crack size with gage.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	42-Is there a four foot bench (level slope) directly along the wall before the slope changes (Record Width)?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	43-Is there a slope steeper than V:1.5 to H:1 in front of the wall? Please record slope and height of backfill above top of wall.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	44-Is there a slope greater than V:1.5 to H:1 below the wall? Please record slope and height of backfill below the wall.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	N/A	UKN	45-Is there excessive degradation of panel faces?	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

MSE METAL CORROSION

Required Tools: Nylon Muller-Camera-GPS-Zip Lock Bag-Trowel		Metal Corrosion		Measurement/Extent of Problem/Location/Photo Numbers												
Yes	No	UKN	N/A	UKN	N/A	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

MSE IMPACT/COLLISION PROTECTION

Required Tools: Camera-GPS		Impact/Collision		Measurement/Extent of Problem/Location/Photo Numbers												
Yes	No	UKN	N/A	UKN	N/A	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

MSE OBSTRUCTIONS IN REINFORCEMENT GEOMETRY

Required Tools: Drawings		Obstructions in Reinforcement Geometry		Measurement/Extent of Problem/Location/Photo Numbers												
Yes	No	UKN	N/A	UKN	N/A	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

MSE AS BUILT DIFFERENT FROM DESIGN

Required Tools: Drawings-Camera-GPS		MSE as built different than design		Measurement/Extent of Problem/Location/Photo Numbers												
Yes	No	UKN	N/A	UKN	N/A	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	N/A	UKN	N/A	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

modular block wall