

STATE OF UTAH MSE WALL INSPECTION FORM

Compiled As Part of Research By The Utah Department of Transportation

Instructions:

- 1- Fill out required sections for MSE Wall Inspector and Wall Characteristics.
- 2- Inspect the wall using the attached form. Questions that require a 'Yes' answer should be documented by noting the extent of the problem in the right most column and photo documentation. Photo documentation should consist of wall or bridge number, nature of problem, date, photo number for wall, and a size reference, which should be indicated in the photo (white board/paper). Photos taken should be placed on the Top View layout and indicated with the appropriate number. Note should be taken by the inspector that often anomalies are due to construction and should be distinguished from those that are a result of post-construction. If it is observable that they existed at the time of construction note should be taken in the space provided for drawings.
- 3- Shoot digital photos of the entire wall. This may require the use of a variety of shots and angles on each wall to cover the wall in its entirety.
- 4- Indicate Layout of MSE Wall in respect to major intersections, roadways, potential hazards, irrigation, vegetation, locations of conditions for which 'Yes' was marked, etc. in space provided below. Also Indicate approximate GPS Coordinates of Site of Interest in space provided below

Region	2	Identifying Road/Intersection	E-15, N. Temp - S. Temp
---------------	---	--------------------------------------	-------------------------


MSE WALL CHARACTERISTICS

MSE Wall at Bridge	(Y) N	Bridge Number if applicable:		Wall Number	R-351-46
Surrounding Structures				Maximum Height of Wall (ft)	11 ft
Distance to Each Structure				One Stage, Two Stage or Block Wall	2-stage
State Route Number				Estimated Max Length of Wall Abutment:	580 ft
Approximate Mile Marker				Max Slope of Ground in front of wall:	0
GPS Datum	WGS/84, NAD/83, or NAD/27			Max Height of wall burial line above surrounding level ground:	16 ft
MSE Wall GPS Coordinates (Location of Measurement shown on plan view)	40° 46' 16.62" N 111° 54' 40.72" W			Please draw rough layout of panel with approximate dimensions in space provided below:	
If known, Panel or System Manufacturer	<div style="border: 1px solid black; width: 200px; height: 100px; margin: 0 auto; position: relative;"> 10' 5' </div>				



Summary of Key Observations:

- Cracking of coping (Pic 1)
- 5 different panels with cracked corners
- 1 panel with crack along entire height

Plan View/Drainage:



Cross Sections:



Cross Sections:

RISE WALL DRAINAGE

Required Item:		Long Level String OFF-CRACK Usage	Measurement/Extent of Problem/Location/Photo Numbers
Yes	N/A	UKN	Drainage
Y	N	UKN	14: Is there an active water source near the toe of the wall (to the wall over a body of water with no weir present)?
Y	N	UKN	2: If applicable, are the cracks located at the base of the wall blocked?
Y	N	UKN	3: Are there substances protruding through the wall?
Y	N	UKN	4: Are there vertical drains that travel through the backfill?
Y	N	UKN	5:4: Are there cracks at the base of the wall or leveling pad? (Photo 12)
Y	N	UKN	6: Is there erosion along the wing wall?
Y	N	UKN	7: Are there any signs of water flow along the base of the wall?
Y	N	UKN	8: Are there any signs of water flow between the wall and the wing wall?
Y	N	UKN	9: Does the backfill or joint fabric appear to be saturated?
Y	N	UKN	10: Is there vegetation growing out of joints or are there piles of backfill at the base of the wall? (Photos 2 & 3)
Y	N	UKN	11: Over the deck drains and outlets at the top of the wall blocked? (Photo 11)
Y	N	UKN	12: Can water enter the wall between coping and deck (i.e., drain appropriately)?
Y	N	UKN	13: Is there evidence of discharge point of fill washing through down pipe?

RISE WALL JOINTS

Required Item:		Long Level String OFF-CRACK Usage	Measurement/Extent of Problem/Location/Photo Numbers
Yes	N/A	UKN	Joints
Y	N	UKN	14: Is backfill coming out of joints or are there piles of backfill at the base of the wall? (Photos 2 & 3)
Y	N	UKN	15: Are the joints wide enough to see fabric or backfill behind panels when looking into joints? (Photo 3) If yes, record the approximate maximum joint width in inches.
Y	N	UKN	16: Is exposed backfill visible in the horizontal joints? (Photo 4)
Y	N	UKN	17: Are there visible tears in the fabric? Is there evidence of backfill or water tracking through base? (Do not induce additional damage to fabric)
Y	N	UKN	18: Do the joints have a non-uniform horizontal spacing? Are some horizontal joints larger/wider than others? (Photo 5)
Y	N	UKN	19: Do the joints have a non-uniform vertical spacing? Are some vertical joints larger/wider than others? (Photo 6)
Y	N	UKN	20: Are the joints either in or out of the wall? (Photo 7) If yes, record the approximate measurement in feet.
Y	N	UKN	21: Does the fabric appear brittle, or appear as if it has undergone excessive UV exposure?

RISE WALL FACING

Required Item:		Long Level String OFF-CRACK Usage	Measurement/Extent of Problem/Location/Photo Numbers
Yes	N/A	UKN	Wall Facing
Y	N	UKN	22: Are the panels "Tilt-Up"? Is there excessive cracking in the panel?
Y	N	UKN	23: Are there cracks that continue vertically through adjacent panels (Photos 9 & 10)? If yes, record the approximate number of panels in the wall with cracking.
Y	N	UKN	24: Are there cracks that continue horizontally through adjacent panels (Photos 9 & 10)? If yes, record the approximate number of panels in the wall with cracking.
Y	N	UKN	25: After the panel concrete making contact with each other? If yes, record the approximate number in the number in the wall.
Y	N	UKN	26: Are the panel corners "popped-off" or chipped from contact with an adjacent panel? If yes record the number in the wall.
Y	N	UKN	27: Does crack spacing suggest Differential Settlement?
Y	N	UKN	28: Does the overlying coping exhibit Vertical Offset?
Y	N	UKN	29: Are the coping and parapet loose or detaching? If yes, it may be appropriate to contact UDOT if detachment seems eminent.
Y	N	UKN	30: Are the panels in danger of falling off? (If potential exists contact appropriate UDOT region).
Y	N	UKN	31: Are the panels bulging (bowing horizontally)? If so, record maximum deflection from acceptable coping to leveling pad. (Photo 11)
Y	N	UKN	32: Are there "hopping" at the top or bottom of the wall? (Record maximum degree of dipping from astragal using vertical level and affected area).

RISE TOP OF WALL OBSERVATIONS

Required Item:		Long Level String OFF-CRACK Usage	Measurement/Extent of Problem/Location/Photo Numbers
Yes	N/A	UKN	Top of Wall
Y	N	UKN	33: Is there evidence of settlement at the top of the wall? (pavement cracking, etc)
Y	N	UKN	34: Are there any open cracks in the concrete coping (not hairline)? If yes record the approximate number in the wall.
Y	N	UKN	35: Have the construction joints in the concrete coping opened up? (Photo 6). If yes, record the maximum joint width.

Y	N	N/A	UKN	16-Is there a large gap between the approach slab and the approach pavement? (Photo 15) Often this produces a tripping situation at the overlap it caused. Record the approximate maximum gap size.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	17-At the abutment, has the joint between the wall coping and the abutment opened up significantly? If so record maximum distance.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	18-Is coping wall pulling away from pavement roadway section? Please record maximum displacement for wall.	/	0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%	/
NISE STABILITY																
Measurement/Extent of Problem/Location/Photo Numbers																
Y	N	N/A	UKN	19-What is the location depth of leveling pad? Found Guro Probe into soil located 2 inches from wall to a minimum depth of 24 inches (24 inches is the minimum depth for NISE Wall)	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	20-Is leveling pad exposed?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	21-Is there cracking in the leveling pad? If so, record maximum crack size with gage.	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	22-Is there four foot board (four deep) directly along the wall before the slope change (Record width)?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	23-Is there a slope greater than V: 1.5 to H: 1 in front of the wall? Please record slope and height of backfill above top of wall.	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	24-Is there a slope greater than V: 1.5 to H: 1 below the wall? Please record slope and height of backfill below the wall.	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	25-Is there excessive degradation of panel face?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/

NISE METAL CORROSION																
Measurement/Extent of Problem/Location/Photo Numbers																
Y	N	N/A	UKN	26-Is there excessive corrosion in panel/rails or other exposed metal that might indicate concrete condition?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	27-Are there major rust stains on the face panel? Along joints? If so, record total number.	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	28-Are any internal straps exposed? Does there appear to be corrosion on these straps? If applicable please record the total number of straps affected.	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	29-Is a readability sample taken of exposed wall? If so, please indicate depth in inches.	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	30-Is there any indication of rebar corrosion (swelling bars, rust, exposed metal inside epoxy coating)? If so, please record the number of panels affected.	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/

NISE IMPACT COLLISION PROTECTION																
Measurement/Extent of Problem/Location/Photo Numbers																
Y	N	N/A	UKN	31-Are guardrails wall protection in place at the base of the wall (to prevent it from potential traffic hazard)?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	32-Does it appear that the wall has been involved in an accident (replaced panel, recent diggs in the wall)?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	33-Does it appear the wall's functionality and integrity has been compromised by a collision or accident?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/

NISE OBSTRUCTIONS IN REINFORCEMENT GEOMETRY																
Measurement/Extent of Problem/Location/Photo Numbers																
Y	N	N/A	UKN	34-Are there steel wall rebar (CR)?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
NISE AS BUILT DIFFERENT FROM DESIGN																
Measurement/Extent of Problem/Location/Photo Numbers																
Y	N	N/A	UKN	35-Are there any design differences from design (Material type, Design, Adhesive, etc.)	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	36-Is the layout in general accordance with drawing?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	37-Are the panels CIP (Cast in Place)? Does there appear to be excessive cracking in the panel?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	38-Are GBE (Guro Probe) used in the construction of the wall?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	39-Are there any measures on or near wall that were not included in initial drawing?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	40-Are there any irrigation, utilities, or intrusions that are not part of the initial drawing?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	41-Has there been any excavation or evidence of excavation near the wall?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	42-Has local property owners changed the dynamics of the wall (additional structures, irrigation, vegetation, etc.)?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/
Y	N	N/A	UKN	43-Are there piles located in the wall (bridge abutment)?	/	0-No	1%	5% <td>10%</td> <td>25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td> </td>	10%	25% <td>50%</td> <td>75%</td> <td>90%</td> <td>95%</td> <td>100%</td> <td>/</td>	50%	75%	90%	95%	100%	/