

STATE OF UTAH MSE WALL INSPECTION FORM

Compiled As Part of Research By The Utah Department of Transportation

Instructions:

- 1-Fill out required sections for MSE Wall Inspector and Wall Characteristics.
- 2-Inspect the wall using the attached form. Questions that require a 'Yes' answer should be documented by noting the extent of the problem in the right most column and photo documentation. Photo documentation should consist of wall or bridge number, nature of problem, date, photo number for wall, and a size reference, which should be indicated in the photo (white board/paper). Photos taken should be placed on the Top View layout and indicated with the appropriate number. Note should be taken by the inspector that often anomalies are due to construction and should be distinguished from those that are a result of post-construction. If it is observable that they existed at the time of construction note should be taken in the space provided for drawings.
- 3- Shoot digital photos of the entire wall. This may require the use of a variety of shots and angles on each wall to cover the wall in its entirety.
- 4- Indicate Layout of MSE Wall in respect to major intersections, roadways, potential hazards, irrigation, vegetation, locations of conditions for which 'Yes' was marked, etc. in space provided below. Also Indicate approximate GPS Coordinates of Site of Interest in space provided below

Region	3	Identifying Road/Intersection	1700 W, 800 N, Orem
---------------	---	--------------------------------------	---------------------


MSE WALL CHARACTERISTICS

MSE Wall at Bridge	Y <input checked="" type="checkbox"/> N	Bridge Number if applicable:		Wall Number	R-443-A
Surrounding Structures				Maximum Height of Wall (ft)	4 FT
Distance to Each Structure				One Stage, Two Stage or Block Wall	one stage
State Route Number				Estimated Max Length of Wall Abutment:	35 FT.
Approximate Mile Marker				Max Slope of Ground in front of wall:	0
GPS Datum	WGS/84, NAD/83, or NAD/27			Max Height of wall burial line above surrounding level ground:	0
MSE Wall GPS Coordinates (Location of Measurement shown on plan view)	40° 18' 34.72"N 111° 43' 25.73"W		Please draw rough layout of panel with approximate dimensions in space provided below:		
If known, Panel or System Manufacturer	<div style="border: 1px solid black; width: 300px; height: 100px; margin: 0 auto; position: relative;"> 8' 18" </div>				



Summary of Key Observations:

- modular block wall

Plan View/Drainage:



Cross Sections:



Cross Sections:

MISE WALL DRAINAGE

Required Tester: N/A		MISE WALL DRAINAGE		Measurement/Extent of Problem/Location/Photo Numbers	
Yes	No	NA	UNK		
Y	N	N/A	UNK	14-Is there an active water source near the top of the wall (for the wall near a body of water with secure perimeter)?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	15-If applicable, are the cracks located at the base of the wall blocked?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	16-Are there substrates protruding through the wall?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	17-Are there vertical drains that extend through the backfill?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	18-Is there erosion at the base of the wall or leveling pad? (Photo 12)	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	19-Is there erosion along the wing wall?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	20-Is there any sign of water flow along the base of the wall?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	21-Is there less than 14 feet between irrigation sprinklers and wall?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	22-Does the backfill or joint drain appear to be saturated?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	23-Is there vegetation growing in joint (Photo 8)?	Clear / 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	24-Are the deck drains and outlets at the top of the wall blocked? (Photo 14)	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	25-Can water enter the wall between coping and slab (i.e. Drain appropriately)?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	26-Is there evidence at discharge point of fill washing through drain pipe?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /

MISE WALL JOINTS

Required Tester: Long Level/Strike/Chase/Cracks/Chips		MISE WALL JOINTS		Measurement/Extent of Problem/Location/Photo Numbers	
Yes	No	NA	UNK		
Y	N	N/A	UNK	14-Is backfill coming out of joints or are there piles of backfill at the base of the wall? (Photos 2 & 3)	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	15-Are the joints wide enough to see fabric or backfill behind panels when looking into joint? (Photo 5) If yes, record the approximate maximum joint width in inches.	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	16-Is exposed backfill visible in the horizontal joint? (Photo 4)	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	17-Are there visible tears in the fabric? Is there evidence of backfill or water leaking through seam? (Do not include additional damage to fabric)	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	18-Do the joints have a non-uniform horizontal spacing? Are some horizontal joints larger than others? (Photo 6)	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	19-Do the joints have a non-uniform vertical spacing? Are some vertical joints larger than others? (Photo 7)	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	20-Are there voids or air at the joints either in or out of the wall? (Photo 7) If yes, record the approximate maximum offset.	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	21-Does the fabric appear brittle, or appear as if it has undergone excessive UV exposure?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /

MISE WALL PACING

Required Tester: Long Level/Strike/Chase/Cracks/Chips		MISE WALL PACING		Measurement/Extent of Problem/Location/Photo Numbers	
Yes	No	NA	UNK		
Y	N	N/A	UNK	22-Are the panels "fishy"? Is there excessive cracking in the panels?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	23-Are there cracks that continue vertically through adjacent panels? (Photos 9 & 10) If yes, record the approximate number of panels in the wall with cracking.	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	24-Are there cracks that continue horizontally through adjacent panels? (Photos 9 & 10) If yes, record the approximate number of panels in the wall with cracking.	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	25-Are the panel corners making contact with each other? If yes, record the approximate number in the wall.	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	26-Are the panel corners "pop-out" or chipped from contact with an adjacent panel? If yes record the number in the wall.	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	27-Does crack spacing suggest Differential Settlement?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	28-Does the existing coping exhibit Vertical Offset?	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	29-Are the coping and parapets loose or dislodging? If yes, it may be appropriate to contact UDOT if substantial areas are affected.	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	30-Are the panels in danger of falling off? (If potential exists contact appropriate UDOT region).	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	31-Are the panels bulging (bowing horizontally)? If so, record maximum deflection from acceptable coping to leveling pad. (Photo 11)	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	32-Is there tipping at the top or bottom of the wall? (Record maximum degree of tipping from vertical using vertical level and affected area)	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /

MISE TOP OF WALL OBSERVATIONS

Required Tester: Long Level/Strike/Chase/Cracks/Chips		MISE TOP OF WALL OBSERVATIONS		Measurement/Extent of Problem/Location/Photo Numbers	
Yes	No	NA	UNK		
Y	N	N/A	UNK	33-Is there evidence of settlement at the top of the wall? (pavement cracking, etc)	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	34-Are there any open cracks in the concrete coping (not hairline)? If yes record the approximate maximum crack width.	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /
Y	N	N/A	UNK	35-Do the construction joints in the overlying coping spaced up? (Photo 6). If yes, record the maximum joint width.	/ 0-No 1% 5% 10% 25% 50% 75% 90% 95% 100% /

Butler 19:1

Y	N	UKN	16-Is there a large gap between the approach slab and the approach pavement? (Photo 15) When this produces a bumping sensation as the vehicle is crossed. Record the approximate maximum gap size.	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	17-At the abutments, has the joint between the wall coping and the abutment opened up significantly? If so record maximum distance.	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	18-Is the coping wall pulling away from pavement (road-ty section)? Please record maximum displacement for wall.	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

NISE STABILITY

Required Tests: Structural Integrity													
Y	N	UKN	19-What is the maximum depth of wall cracking? Please check 24 inches from wall to a maximum depth of 24 inches (24 inches is the minimum depth for NISE Wall).	Measurement/Extent of Problem/Location/Photo Numbers									
Y	N	UKN	20-Is there cracking in the leveling pad? If so, record maximum crack size with gage.	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	21-Is there a four foot bench (or 4ft deep) directly along the wall before the slope changes (Record Width)?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	22-Is there a slope steeper than V: 1.5 to H: 1 in front of the wall? Please record slope and height of wall above top of wall.	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	23-Is there a slope greater than V: 1.5 to H: 1 below the wall? Please record slope and height of backfill below the wall.	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	24-Is there excessive degradation of paved floor?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

NISE METAL CORROSION

Required Tests: System NISE-Corrosion/Spot Check (ing. towel)													
Y	N	UKN	25-Is there excessive corrosion on guardrails or other exposed metal that might indicate corrosive conditions?	Measurement/Extent of Problem/Location/Photo Numbers									
Y	N	UKN	26-Are there major rust stains on the face panels? Along joints? If so, record total number.	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	27-Are any internal straps exposed? Does there appear to be corrosion on these straps? If applicable please record the total number of straps affected.	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	28-Was a redoxily simple taken of exposed wall? If so, please indicate depth in inches.	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	29-Do any indications of rubber corrosion (swelling, hard, not, exposed metal inside epoxy coating)? If so please record the total number of panels affected.	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

NISE IMPACT/COLLISION PROTECTION

Required Tests: General/CFR													
Y	N	UKN	30-Is any guardrail wall protection in place at the base of the wall (to protect it from potential traffic loads)?	Measurement/Extent of Problem/Location/Photo Numbers									
Y	N	UKN	31-Does it appear that the wall has been involved in an accident (replaced panel, recent dig in the wall)?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	32-Does it appear the wall's functionality and integrity has been compromised by a collision or accident?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

NISE OBSTRUCTIONS IN REINFORCEMENT GEOMETRY

Required Tests: Drawings													
Y	N	UKN	33-Obstructions in Reinforcement Geometry	Measurement/Extent of Problem/Location/Photo Numbers									
Y	N	UKN	34-Are there any wall angles (<90°)	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%

NISE AS BUILT DIFFERENT FROM DESIGN

Required Tests: Drawings/General/CFR													
Y	N	UKN	35-Is the wall different than design	Measurement/Extent of Problem/Location/Photo Numbers									
Y	N	UKN	36-Are there any drawings for the wall? Please indicate type (Situation and Layout, As Built, etc.)	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	37-Is the layout in general accordance with drawings?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	38-Does there appear to be excessive cracking in the panels?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	39-Was GED performed in the construction of the wall?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	40-Are there any obstructions on or near wall that were not included in initial drawings?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	41-Are there any irrigation, utilities, or interferences that are not part of the initial drawings?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	42-Has there been any excavations or evidence of excavations near the wall?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	43-Has there been any excavations or evidence of excavations near the wall (additional structures, irrigation, vegetation, etc.)?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UKN	44-Are there piles located in the wall (bridge abutment)?	/ 0-No	1%	5%	10%	25%	50%	75%	90%	95%	100%