

STATE OF UTAH MSE WALL INSPECTION FORM

Compiled As Part of Research By The Utah Department of Transportation

Instructions:

1-Fill out required sections for MSE Wall Inspector and Wall Characteristics.


2-Inspect the wall using the attached form. Questions that require a 'Yes' answer should be documented by noting the extent of the problem in the right most column and photo documentation. Photo documentation should consist of wall or bridge number, nature of problem, date, photo number for wall, and a size reference, which should be indicated in the photo (white board/paper). Photos taken should be placed on the Top View layout and indicated with the appropriate number. Note should be taken by the inspector that often anomalies are due to construction and should be distinguished from those that are a result of post-construction. If it is observable that they existed at the time of construction note should be taken in the space provided for drawings.

3- Shoot digital photos of the entire wall. This may require the use of a variety of shots and angles on each wall to cover the wall in its entirety.

4- Indicate Layout of MSE Wall in respect to major intersections, roadways, potential hazards, irrigation, vegetation, locations of conditions for which 'Yes' was marked, etc. in space provided below. Also Indicate approximate GPS Coordinates of Site of Interest in space provided below

Region	3	Identifying Road/Intersection	1200 W, 800 N Orem

MSE WALL CHARACTERISTICS


MSE Wall at Bridge	Y <input checked="" type="radio"/> N <input type="radio"/>	Bridge Number if applicable:		Wall Number	R-445-C
Surrounding Structures				Maximum Height of Wall (ft)	14 ft
Distance to Each Structure			One Stage, Two Stage or Block Wall		one stage
State Route Number			Estimated Max Length of Wall Abutment:		410 ft
Approximate Mile Marker			Max Slope of Ground in front of wall:		0
GPS Datum	WGS/84, NAD/83, or NAD/27		Max Height of wall burial line above surrounding level ground:		0
MSE Wall GPS Coordinates (Location of Measurement shown on plan view)	40° 18' 39.52" N 111° 43' 23.99" W		Please draw rough layout of panel with approximate dimensions in space provided below:		
If known, Panel or System Manufacturer					

Summary of Key Observations:



adequate

13
12/160
40

Plan View/Drainage:



Cross Sections:



Cross Sections:



RISE WALL DRAINAGE

Required Tests:	Yes	No	NA	UKN	Measurement/Extent of Problem/Location/Photo Numbers
1-Is there an active water source near the toe of the wall (to the wall over a body of water with occur potential)?	Y	N	N/A	UKN	Drainage
2-If applicable, are the crutch bases at the base of the wall blocked?	Y	N	N/A	UKN	
3-Are there obstructions protruding through the wall?	Y	N	N/A	UKN	
4-Are there vertical drains that travel through the backfill?	Y	N	N/A	UKN	
5-Is there evidence at the base of the wall of leveling sand? (Photo 12)	Y	N	N/A	UKN	
6-Is there evidence along the rising wall?	Y	N	N/A	UKN	
7-Are there any signs of water flow along the base of the wall?	Y	N	N/A	UKN	
8-Is there more than 12 feet between irrigation sprinklers and wall?	Y	N	N/A	UKN	
9-Does the backfill or joint fabric appear to be saturated?	Y	N	N/A	UKN	
10-Is there vegetation growing in joint (Photo 8)?	Y	N	N/A	UKN	
11-Are the deck drains and outlets at the top of the wall blocked? (Photo 14)	Y	N	N/A	UKN	
12-Can water enter the wall between coping and deck (i.e., drain appropriately)?	Y	N	N/A	UKN	
13-Is there evidence of discharge point of fill washing through drain pipe?	Y	N	N/A	UKN	

against wall

RISE WALL JOINTS

Required Tests:	Yes	No	NA	UKN	Measurement/Extent of Problem/Location/Photo Numbers
1-Is backfill coming out of joints or are there piles of backfill at the base of the wall? (Photos 2 & 3)	Y	N	N/A	UKN	Joints
2-Are the joints wide enough to see fabric or backfill behind panels when looking into joint? (Photo 5) If yes, record the approximate maximum joint width in inches.	Y	N	N/A	UKN	
3-Is exposed backfill visible in the horizontal joint? (Photo 4)	Y	N	N/A	UKN	
4-Are there visible tears in the fabric? Is there evidence of backfill or water leaking through tear? (Do not record if fabric is damaged or faulty)	Y	N	N/A	UKN	
5-Are there non-uniform horizontal spacing gaps? Are some horizontal joints larger/smaller than others? (Photo 6)	Y	N	N/A	UKN	
6-Do the joints have a non-uniform vertical spacing/gaps? Are some vertical joints larger/smaller than others? (Photo 6)	Y	N	N/A	UKN	
7-Are the panels offset at the joint either in or out of the wall? (Photo 7) If yes, record the approximate maximum offset.	Y	N	N/A	UKN	
8-Does the fabric appear bulged, or appear as if it has undergone excessive UV exposure?	Y	N	N/A	UKN	

RISE WALL FINISH

Required Tests:	Yes	No	NA	UKN	Measurement/Extent of Problem/Location/Photo Numbers
1-Is there evidence of UV-stained concrete usage?	Y	N	N/A	UKN	Wall Finishes
2-Are there cracks that contain vertical or horizontal surface particles? (Photos 9 & 10) If yes, record the approximate number of panels in the wall with cracking.	Y	N	N/A	UKN	
3-Are there cracks that penetrate horizontally through adjacent panels? (Photos 9 & 10) If yes, record the approximate number of panels in the wall with cracking.	Y	N	N/A	UKN	
4-Are the panel corners making contact with each other? If yes, record the approximate number in the wall.	Y	N	N/A	UKN	
5-Are the panel corners "pop-out" or chipped from contact with an adjacent panel? If yes, record the number in the wall.	Y	N	N/A	UKN	
6-Does the overlying coping exhibit vertical offset?	Y	N	N/A	UKN	
7-Are the coping and supports loose or deteriorating? If yes, it may be appropriate to contact UDOT if detachment occurs entirely.	Y	N	N/A	UKN	
8-Are the panels in danger of falling off? (If potential exists contact appropriate UDOT region).	Y	N	N/A	UKN	
9-Are there any open cracks in the concrete coping (not hairline)? If yes, record the approximate maximum crack width.	Y	N	N/A	UKN	
10-Is there flipping at the top or bottom of the wall? (Record maximum degree of flipping from vertical using vertical level and attached area)	Y	N	N/A	UKN	

RISE TOP OF WALL OBSERVATIONS

Required Tests:	Yes	No	NA	UKN	Measurement/Extent of Problem/Location/Photo Numbers
1-Is there evidence of settlement at the top of the wall? (pavement cracking, etc)	Y	N	N/A	UKN	Top of Wall
2-Are there any open cracks in the concrete coping (not hairline)? If yes, record the approximate maximum crack width.	Y	N	N/A	UKN	
3-Is there evidence of construction joints in the coping coping opened up? (Photo 6) If yes, record the maximum joint width.	Y	N	N/A	UKN	

Required Item:	Yes	No	NA	UKN	Drawings/Comments	Measurements/Extent of Problems/Location/Photo Numbers
16-Is there a large gap between the approach slab and the approach pavement? (Photo 13) Does this introduce a bump, a change in elevation, or a change in surface texture? If so, please describe the location and extent of the problem. Record maximum depth.	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
17-At the abutment, has the joint between the wall coping and the abutment opened up significantly? If so, record maximum distance.	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
18-Is the coping wall pulling away from pavement/roadway section? Please record maximum displacement for wall.	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /

MISE STABILITY

Required Item:	Yes	No	NA	UKN	Drawings/Comments	Measurements/Extent of Problems/Location/Photo Numbers
19-Is there excessive corrosion on guardrails or other exposed metal that might indicate corrosive conditions? If so, record total number.	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
20-Is there any internal sharp exposure? Does there appear to be corrosion on these steps? If applicable, please record the total number of sharp exposures.	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
21-Is there any indication of rubber corrosion (swelling, cracking, etc.) on any exposed metal (including epoxy coating)? If so, please record the total number of panels affected.	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /

MISE METAL CORROSION

Required Item:	Yes	No	NA	UKN	Drawings/Comments	Measurements/Extent of Problems/Location/Photo Numbers
22-Is there excessive corrosion on guardrails or other exposed metal that might indicate corrosive conditions? If so, record total number.	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
23-Is there any internal sharp exposure? Does there appear to be corrosion on these steps? If applicable, please record the total number of sharp exposures.	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
24-Is there any indication of rubber corrosion (swelling, cracking, etc.) on any exposed metal (including epoxy coating)? If so, please record the total number of panels affected.	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /

MISE IMPACT/COLLISION PROTECTION

Required Item:	Yes	No	NA	UKN	Drawings/Comments	Measurements/Extent of Problems/Location/Photo Numbers
25-Are guardrails wall protection in place at the base of the wall (to protect it from potential traffic)?	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
26-Does it appear that the wall has been involved in an accident (replaced panel, recent dips in the wall)?	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
27-Does it appear the wall's functionality and integrity has been compromised by a collision or accident?	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /

MISE OBSTRUCTIONS IN REINFORCEMENT GEOMETRY

Required Item:	Yes	No	NA	UKN	Drawings/Comments	Measurements/Extent of Problems/Location/Photo Numbers
28-Are there acute wall angles (<90°)?	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /

MISE AS BUILT DIFFERENT FROM DESIGN

Required Item:	Yes	No	NA	UKN	Drawings/Comments	Measurements/Extent of Problems/Location/Photo Numbers
29-Is the wall built different than design? (e.g., different materials, different layout, etc.)	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
30-Are there any irregularities, utilities, or inclusions that are not part of the initial drawings? (e.g., rebar protrusions, etc.)	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
31-Is there any evidence of excessive cracking in the panels?	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
32-Are there any structures on or near wall that were not included in initial drawings? (e.g., signs, etc.)	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
33-Is there any evidence of excavation near the wall?	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /
34-Is there any evidence of settlement or movement of the wall (additional structures, intrusions, etc.)?	Y	N	N/A	UKN		/ 0-Nb 1% 5% 10% 25% 50% 75% 90% 95% 100% /