

STATE OF UTAH MSE WALL INSPECTION FORM

Compiled As Part of Research By The Utah Department of Transportation

Instructions:

- 1- Fill out required sections for MSE Wall Inspector and Wall Characteristics.
- 2- Inspect the wall using the attached form. Questions that require a 'Yes' answer should be documented by noting the extent of the problem in the right most column and photo documentation. Photo documentation should consist of wall or bridge number, nature of problem, date, photo number for wall, and a size reference, which should be indicated in the photo (white board/paper). Photos taken should be placed on the Top View layout and indicated with the appropriate number. Note should be taken by the inspector that often anomalies are due to construction and should be distinguished from those that are a result of post-construction. If it is observable that they existed at the time of construction note should be taken in the space provided for drawings.
- 3- Shoot digital photos of the entire wall. This may require the use of a variety of shots and angles on each wall to cover the wall in its entirety.
- 4- Indicate Layout of MSE Wall in respect to major intersections, roadways, potential hazards, irrigation, vegetation, locations of conditions for which 'Yes' was marked, etc. in space provided below. Also Indicate approximate GPS Coordinates of Site of Interest in space provided below

Region	3	Identifying Road/Intersection	1200 W, 800 N, Orem
---------------	---	--------------------------------------	---------------------

MSE WALL CHARACTERISTICS


MSE Wall at Bridge	Y <input checked="" type="radio"/> (N)	Bridge Number if applicable:		Wall Number	R-445-E
Surrounding Structures				Maximum Height of Wall (ft)	16ft
Distance to Each Structure				One Stage, Two Stage or Block Wall	One stage
State Route Number				Estimated Max Length of Wall Abutment:	125 ft
Approximate Mile Marker				Max Slope of Ground in front of wall:	4:1
GPS Datum	WGS/84, NAD/83, or NAD/27			Max Height of wall burial line above surrounding level ground:	0
MSE Wall GPS Coordinates (Location of Measurement shown on plan view)	40° 18' 41.75" N 111° 43' 21.80" W			Please draw rough layout of panel with approximate dimensions in space provided below:	
If known, Panel or System Manufacturer	<div style="border: 1px solid black; width: 200px; height: 100px; margin: 0 auto; position: relative;"> 8" 18" </div>				

Summary of Key Observations:




- modular block wall
- about 7 blocks with vertical cracks

3
24
8
19
18
12/17/22
22

Plan View/Drainage:



Cross Sections:



Cross Sections:

Required Item:		Yes	No	NA	UKN	Measurement/Extent of Problem/Location/Photo Numbers
NEE WALL DRAINAGE						
Nylon Meter w/ver Rod/C/S Camera						
Y	N/A	UKN				Drainage
Y	N/A	UKN				1-Is there an active water source near the toe of the wall (if the wall near a body of water with scour potential)?
Y	N/A	UKN				2-If applicable, are the cracks below the toe of the wall blocked?
Y	N/A	UKN				3-Are there culverts protruding through the wall?
Y	N/A	UKN				4-Are there vertical drains that travel through the backfill?
Y	N/A	UKN				5-Is there erosion at the base of the wall or leveling pad? (Photo 12)
Y	N/A	UKN				6-Is there erosion along the wing wall?
Y	N/A	UKN				7-Are there any signs of water flow along the base of the wall?
Y	N/A	UKN				8-Is there less than 14 feet between impingement and wall?
Y	N/A	UKN				9-Does the backfill or joint fabric appear to be annotated?
Y	N/A	UKN				10-Is there vegetation growing in pad/joint (Photo B)?
Y	N/A	UKN				11-Are the back fabric and surface at the top of the wall blocked? (Photo 14)
Y	N/A	UKN				12-Can water enter the wall between coping and slab (i.e., Drain appropriately)?
Y	N/A	UKN				13-Is there evidence of discharge point of fill washing through drain pipe?
NEE WALL JOINTS						
Long Level String/C/S Camera/Orange						
Y	N/A	UKN				Joints
Y	N/A	UKN				14-Is backfill coming out of joints or are there piles of backfill at the base of the wall? (Photos 2 & 3)
Y	N/A	UKN				15-Are the joints wide enough to see fabric or backfill behind panels when looking into joints? (Photo 3) If yes, record the approximate maximum joint width in inches.
Y	N/A	UKN				16-Is exposed backfill visible in the horizontal joint? (Photo 3)
Y	N/A	UKN				17-Are there visible tears in the fabric? Is there evidence of backfill or water backing through joint? (Do not include additional damage to fabric)
Y	N/A	UKN				18-Do the joints have a non-uniform horizontal spacing/water? Are some horizontal joints larger/wider than others? (Photo 3)
Y	N/A	UKN				19-Do the joints have a non-uniform vertical spacing/water? Are some vertical joints larger/wider than others? (Photo 3)
Y	N/A	UKN				20-Are the panel offset at the joint either in or out of the wall (Photo 3) If yes, record the approximate maximum offset.
Y	N/A	UKN				21-Does the fabric appear brittle, or appear as if it has undergone concrete UV exposure?
NEE WALL FACING						
Long Level String/C/S Camera/Crack Orange						
Y	N/A	UKN				Wall Facing
Y	N/A	UKN				22-Are there cracks that continue vertically through adjacent panels? (Photos 9 & 10)? If yes, record the approximate number of panels in the wall with cracking.
Y	N/A	UKN				23-Are there cracks that continue horizontally through adjacent panels? (Photos 9 & 10)? If yes, record the approximate number of panels in the wall with cracking.
Y	N/A	UKN				24-Are the panel corners making contact with each other? If yes, record the approximate number in the wall.
Y	N/A	UKN				25-Are the panel corners "jagged-off" or chipped from contact with an adjacent panel? If yes record the number in the wall.
Y	N/A	UKN				26-Does crack spacing suggest Differential Settlement?
Y	N/A	UKN				27-Does the overlying coping exhibit Vertical Offset?
Y	N/A	UKN				28-Are the coping and parapet base or footing? If yes, it may be appropriate to contact UDOT if settlement occurs.
Y	N/A	UKN				29-Are the panels in danger of falling off? (If potential exists contact appropriate UDOT region).
Y	N/A	UKN				30-Are the panels bulging (bowing horizontally)? If so, record maximum deformation from accessible coping to leveling pad. (Photo 11)
Y	N/A	UKN				31-Is there "flipping" at the top or bottom of the wall? (Record maximum degree of flipping from azimuth using vertical level and affected area)
Y	N/A	UKN				32-Is there evidence of settlement at the top of the wall? (pavement cracking, etc)
Y	N/A	UKN				33-Is there evidence of settlement at the base of the wall? (pavement cracking, etc)
Y	N/A	UKN				34-Is there the maximum crack width.
Y	N/A	UKN				35-Is there the maximum joint width.
NEE TOP OF WALL OBSERVATIONS						
Long Level/Cr/C/S Camera						
Y	N/A	UKN				Top Of Wall
Y	N/A	UKN				36-Is there evidence of settlement at the top of the wall? (pavement cracking, etc)
Y	N/A	UKN				37-Is there the maximum crack width.
Y	N/A	UKN				38-Is there the maximum joint width.

Photo 73:1"

Required Tests:		Structural Integrity	
Yes	No	Yes	No
Y	N	Y	N
Y	N	Y	N
Y	N	Y	N

Required Tests:		Measurement/Extent of Problems/Location/Photo Numbers	
Yes	No	Yes	No
Y	N	Y	N
Y	N	Y	N
Y	N	Y	N

Required Tests:		Measurement/Extent of Problems/Location/Photo Numbers	
Yes	No	Yes	No
Y	N	Y	N
Y	N	Y	N
Y	N	Y	N

Required Tests:		Measurement/Extent of Problems/Location/Photo Numbers	
Yes	No	Yes	No
Y	N	Y	N
Y	N	Y	N
Y	N	Y	N

Required Tests:		Measurement/Extent of Problems/Location/Photo Numbers	
Yes	No	Yes	No
Y	N	Y	N
Y	N	Y	N
Y	N	Y	N

Required Tests:		Measurement/Extent of Problems/Location/Photo Numbers	
Yes	No	Yes	No
Y	N	Y	N
Y	N	Y	N
Y	N	Y	N

Required Tests:		Measurement/Extent of Problems/Location/Photo Numbers	
Yes	No	Yes	No
Y	N	Y	N
Y	N	Y	N
Y	N	Y	N

MSB 31 (A) (1) (1)

sidewalk at base

flat

layout design

MSB IMPACT COLLISION PROTECTION

MSB OBSTRUCTIONS IN REINFORCEMENT GEOMETRY

MSB AS BUILT DIFFERENT FROM DESIGN