

# STATE OF UTAH MSE WALL INSPECTION FORM

Compiled As Part of Research By The Utah Department of Transportation

**Instructions:**

- 1- Fill out required sections for MSE Wall Inspector and Wall Characteristics.
- 2- Inspect the wall using the attached form. Questions that require a "Yes" answer should be documented by noting the extent of the problem in the right most column and photo documentation. Photo documentation should consist of wall or bridge number, nature of problem, date, photo number for wall, and a size reference, which should be indicated in the photo (white board/paper). Photos taken should be placed on the Top View layout and indicated with the appropriate number. Note should be taken by the inspector that often anomalies are due to construction and should be distinguished from those that are a result of post-construction. If it is observable that they existed at the time of construction note should be taken in the space provided for drawings.
- 3- Shoot digital photos of the entire wall. This may require the use of a variety of shots and angles on each wall to cover the wall in its entirety.
- 4- Indicate Layout of MSE Wall in respect to major intersections, roadways, potential hazards, irrigation, vegetation, locations of conditions for which "Yes" was marked, etc. in space provided below. Also indicate approximate GPS Coordinates of Site of Interest in space provided below

**Inspector Information**

<b>Inspection Date</b>	7/27/07	<b>Names Of Inspectors</b>	Ryan Maw, Holly Griffin
<b>Region</b>	1	<b>Identifying Road/Intersection</b>	29th South + E-15 Ogden


**MSE WALL CHARACTERISTICS**

<b>MSE Wall at Bridge</b>	<input checked="" type="radio"/> Y <input type="radio"/> N	<b>Bridge Number if applicable:</b>		<b>Wall Number</b>	R-498/496
<b>Surrounding Structure</b>	railroad		<b>Maximum Height of Wall (ft)</b>	see photo	
<b>Distance to Each Structure</b>	20ft		<b>One Stage, Two Stage or Block Wall</b>		
<b>State Route Number</b>	28th south and E-15 Ogden		<b>Estimated Max Length of Wall Abutment:</b>	see photo	
<b>Approximate Mile Marker</b>			<b>Max Slope of Ground in front of wall:</b>	see photo	
<b>GPS Datum</b>	WGS/84, NAD/83, or NAD/27		<b>Max Height of wall burial line above surrounding level ground:</b>	"	
<b>MSE Wall GPS Coordinates (Location of Measurement shown on plan view)</b>	N 91° 12.618'		Please draw rough layout of panel with approximate dimensions in space provided below:		
<b>If known, Panel or System Manufacturer</b>	N/A		see photo		


**Summary of Key Observations:**

wall was under construction resulting in limited accessibility


**Plan View/Drainage:**



I - 15



Railroad



I - 15

approximately  
28th  
South  
ogden

Cross Sections:

under  
construction -  
limited  
accessibility

Cross Sections:

MSE WALL DEFECTS

Table with columns: Requirement, Measure, Measure/Extent of Problem, Location/Photo Numbers. Rows include items like '1-Is there any active water seepage near the top of the wall?', '2-Is there any evidence of water seepage through the wall?', '3-Is there any evidence of water seepage through the wall?', etc.

MSE WALL JOINTS

Table with columns: Requirement, Measure, Measure/Extent of Problem, Location/Photo Numbers. Rows include items like '1-Is the backfill settling out of joints or on the pile of backfill at the base of the wall?', '2-Is there any evidence of water seepage through the wall?', '3-Is there any evidence of water seepage through the wall?', etc.

MSE WALL FACING

Table with columns: Requirement, Measure, Measure/Extent of Problem, Location/Photo Numbers. Rows include items like '1-Is there any evidence of cracking in the panel?', '2-Is there any evidence of cracking in the panel?', '3-Is there any evidence of cracking in the panel?', etc.

MSE TOP OF WALL OBSERVATIONS

Table with columns: Requirement, Measure, Measure/Extent of Problem, Location/Photo Numbers. Rows include items like '1-Is there any evidence of settlement at the top of the wall?', '2-Is there any evidence of settlement at the top of the wall?', '3-Is there any evidence of settlement at the top of the wall?', etc.

			MSE STABILITY									
			/ O-No					/ O-No				
			1%	5%	10%	25%	50%	75%	90%	95%	100%	
Y	N	UNK	37-At the abutments, has the joint between the wall coping and the abutment respect its verticality? If no, recent maximum distance /	3%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	38-At the coping wall finishing, away from each roadway section? Please record maximum distance /	3%	5%	10%	25%	50%	75%	90%	95%	100%
MSE STABILITY			MSE STABILITY									
Require Item: Slender Structures			MSE STABILITY									
Measure of Extent of Problem/Locality/Date Numbers			MSE STABILITY									
Y	N	UNK	39-When in the location depth of a existing post? Please provide date and location 2 meters from wall in a /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	40-Is there a minimum depth of 2 meters (2 inches) in the minimum depth (in the wall) /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	41-Is leveling post spaced? /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	42-Is there ending in the leveling post? If no, recent maximum inside size with pipe /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	43-Are there a four feet (twelve inches) directly along the wall before the slope change (Recent Wall)? /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	44-Is there a slope greater than V: 1.5 in H: 1 in front of the wall? Please record slope and height of /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	45-Is there a slope greater than V: 1.5 in H: 1 in below the wall? Please record slope and height of backfill /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	46-Is there excessive degradation of post face? /	1%	5%	10%	25%	50%	75%	90%	95%	100%

			MSE IMPACT COLLISION PROTECTION									
			/ O-No					/ O-No				
			1%	5%	10% <th>25% <th>50% <th>75% <th>90% <th>95% <th>100% </th></th></th></th></th></th>	25% <th>50% <th>75% <th>90% <th>95% <th>100% </th></th></th></th></th>	50% <th>75% <th>90% <th>95% <th>100% </th></th></th></th>	75% <th>90% <th>95% <th>100% </th></th></th>	90% <th>95% <th>100% </th></th>	95% <th>100% </th>	100%	
Y	N	UNK	47-Is there excessive common in panels or either exposed metal (at night include convex /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	48-Are there major rust stains on the steel panels? Along joints? If no, recent steel number. /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	49-Are any impact strips exposed? Upon close appear to be complete on these strips? If applicable please /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	50-Do you have a satisfactory sample taken at exposed wall? If no, please indicate depth in inches. /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	51-Is there any indication of fiber concrete (swelling bars, rust, exposed metal inside epoxy coating)? If /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Require Item: Concrete			MSE IMPACT COLLISION PROTECTION									
Measure of Extent of Problem/Locality/Date Numbers			MSE IMPACT COLLISION PROTECTION									
Y	N	UNK	52-Are panels/wall protrusions in place at the base of the wall (to protect it from potential uplift /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	53-Does it appear that the wall has been involved in an accident (replaced panel, recent damage in the wall)? /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	54-Does it appear the wall functionally and integrity has been compromised by a collision or accident? /	1%	5%	10%	25%	50%	75%	90%	95%	100%

			MSE AS BUILT DIFFERENT FROM DESIGN									
			/ O-No					/ O-No				
			1%	5%	10% <th>25% <th>50% <th>75% <th>90% <th>95% <th>100% </th></th></th></th></th></th>	25% <th>50% <th>75% <th>90% <th>95% <th>100% </th></th></th></th></th>	50% <th>75% <th>90% <th>95% <th>100% </th></th></th></th>	75% <th>90% <th>95% <th>100% </th></th></th>	90% <th>95% <th>100% </th></th>	95% <th>100% </th>	100%	
Y	N	UNK	55-Are there any drawings or as built drawings for the wall? Please indicate type (Situation and Layout, Design, As Built /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	56-Is the layout in general accordance with drawings? /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	57-Are the panels CIP (Cast in Place) Does then appear to be accurate ending in the panels? /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	58-What GFCI forms used in the construction of the wall? /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	59-Are there any drawings or as built drawings for the wall that was not included in initial drawings? /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	60-Are there any irregularities, utilities, or limitations that are not part of the initial drawings? /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	61-Have there been any excavations or evidence of excavations near the wall? /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	62-Have been any property owners changed the dynamics of the wall (additional annexes, impaction, /	1%	5%	10%	25%	50%	75%	90%	95%	100%
Y	N	UNK	63-Are there pile located in the wall (bridge abutment)? /	1%	5%	10%	25%	50%	75%	90%	95%	100%